

	<p style="text-align: center;"><b>Temperature Sensor</b></p> <ul style="list-style-type: none"> <li>• Real-time Temperature from -55Deg. C to 125 Deg. C.</li> <li>• Easy to Install (Plug &amp; Play)</li> <li>• Max sensor cable 30m (supplied with 7.5m).</li> <li>• Compatible with Room Alert 26W, 26WO, 24E, 11E, 4E &amp; TemPageR.</li> </ul>
	<p style="text-align: center;"><b>Temperature &amp; Humidity Sensor</b></p> <ul style="list-style-type: none"> <li>• Real-time Temperature from -55Deg. C to 125 Deg. C.</li> <li>• Real-time Relative Humidity from 0-100%</li> <li>• Easy to Install (Plug &amp; Play)</li> <li>• Max sensor cable 30m (supplied with 7.5m).</li> <li>• Compatible with Room Alert 26W, 26WO, 24E, 11E &amp; 4E.</li> </ul>
	<p style="text-align: center;"><b>Power Fail Sensor</b></p> <ul style="list-style-type: none"> <li>• Real-time power on/off status.</li> <li>• Monitors UPS or single phase power.</li> <li>• Max sensor cable 275m (supplied with 15m).</li> <li>• Compatible with Room Alert 26W, 26WO, 24E, 11E &amp; 4E.</li> </ul>
	<p style="text-align: center;"><b>Power Monitor</b></p> <ul style="list-style-type: none"> <li>• Real-time monitoring of Volts, Amps and Watts.</li> <li>• Real-time power on, off, spike and sag.</li> <li>• Max sensor cable 275m (supplied with 15m).</li> <li>• Compatible with Room Alert 26W, 26WO &amp; 24E.</li> </ul>
 <p style="text-align: right;">2.5m</p>	<p style="text-align: center;"><b>Water Detection Cable including 2.5m cable</b></p> <ul style="list-style-type: none"> <li>• Real-time water detection.</li> <li>• 2.5m detection cable with 7.5m leader cable and Control Box.</li> <li>• Alert triggered when water detected or power lost.</li> <li>• Detection cable can be extended by 2.5m lengths.</li> <li>• Compatible with Room Alert 26W, 26WO, 24E, 11E &amp; 4E.</li> </ul>
 <p style="text-align: right;">7m</p>	<p style="text-align: center;"><b>Water Detection Cable including 7m cable</b></p> <ul style="list-style-type: none"> <li>• Real-time water detection.</li> <li>• 7m detection cable with 7.5m leader cable and Control Box.</li> <li>• Alert triggered when water detected or power lost.</li> <li>• Detection cable can be extended by 2.5m lengths.</li> <li>• Compatible with Room Alert 26W, 26WO, 24E, 11E &amp; 4E.</li> </ul>

	<p style="text-align: center;"><b>Water Detection Cable (2.5m with Leader)</b></p> <ul style="list-style-type: none"> <li>• Real-time water detection.</li> <li>• 2.5m detection cable with 7.5m leader cable.</li> <li>• Alert triggered when water detected.</li> <li>• Detection cable can be extended by 2.5m lengths.</li> <li>• Compatible with Room Alert 26W &amp; 26WO</li> </ul>
	<p style="text-align: center;"><b>Water Detection Cable (7m with Leader)</b></p> <ul style="list-style-type: none"> <li>• Real-time water detection.</li> <li>• 7m detection cable with 7.5m leader cable.</li> <li>• Alert triggered when water detected.</li> <li>• Detection cable can be extended by 2.5m lengths.</li> <li>• Compatible with Room Alert 26W &amp; 26WO</li> </ul>
	<p style="text-align: center;"><b>Air Flow Sensor (Fly Lead)</b></p> <ul style="list-style-type: none"> <li>• Real-time monitoring of air flow stop/start.</li> <li>• Ideal for Air Con. Systems, Server Fans etc.</li> <li>• Max sensor cable 275m, supplied with 15m.</li> <li>• Compatible with Room Alert 26W, 26WO, 24E, 11E &amp; 4E.</li> </ul>
	<p style="text-align: center;"><b>Air Flow Sensor (Mounted)</b></p> <ul style="list-style-type: none"> <li>• Real-time monitoring of air flow stop/start.</li> <li>• Wall, Ceiling or Conduit box mounting</li> <li>• Flexible arm for positioning</li> <li>• Max sensor cable 275m, supplied with 15m.</li> <li>• Compatible with Room Alert 26W, 26WO, 24E, 11E &amp; 4E.</li> </ul>
	<p style="text-align: center;"><b>Room Entry Sensor</b></p> <ul style="list-style-type: none"> <li>• Real-time monitoring of door or cabinet open/closed.</li> <li>• Max sensor cable 275m, supplied with 15m.</li> <li>• Compatible with Room Alert 26W, 26WO, 24E, 11E &amp; 4E.</li> </ul>
	<p style="text-align: center;"><b>Movement Detection</b></p> <ul style="list-style-type: none"> <li>• Detects movement up to 12m within 90 degree angle</li> <li>• Built-in tamper switch</li> <li>• Max sensor cable 275m, supplied with 15m.</li> <li>• Compatible with Room Alert 26W, 26WO, 24E, 11E &amp; 4E.</li> </ul>

	<p style="text-align: center;"><b>Sound /Light Sensor</b></p> <ul style="list-style-type: none"> <li>• Real-time recognition of sound, light and/or door entry.</li> <li>• Max sensor cable 275m, supplied with 15m.</li> <li>• Compatible with Room Alert 26W, 26WO, 24E, 11E &amp; 4E.</li> </ul>
	<p style="text-align: center;"><b>Smoke Sensor</b></p> <ul style="list-style-type: none"> <li>• Real-time monitoring of smoke/fire</li> <li>• Audible alert and escape light when triggered</li> <li>• Max sensor cable 275m, supplied with 15m.</li> <li>• Compatible with Room Alert 26W, 26WO, 24E, 11E &amp; 4E.</li> </ul>
	<p style="text-align: center;"><b>Wireless Sensor Hub (WiSH) Powered</b></p> <ul style="list-style-type: none"> <li>• Wireless communication with Room Alert 26W up to 75m.</li> <li>• Real-time Temperature from -55deg C to 125 deg C.</li> <li>• Built-in Temperature sensor</li> <li>• 2 sensor ports, 1 switch sensor channel.</li> <li>• Compatible with Room Alert 26W only.</li> </ul>
	<p style="text-align: center;"><b>Panic Button</b></p> <ul style="list-style-type: none"> <li>• Provide warning where someone is working and needs help</li> <li>• Instant 'Plug &amp; Play'</li> <li>• Max sensor cable 275m, supplied with 15m.</li> <li>• Compatible with Room Alert 26W, 26WO, 24E, 11E &amp; 4E.</li> </ul>